

CANAGROSA LAB & SERVICES SL

CL WILBUR Y ORVILLE WRIGHT 15  
41300, LA RINCONADA  
ES  
292690

TYPE of External Shop  
**INDEPENDENT**

## Attestation letter for Qualification on Test Methods

Dear Madam, Dear Sir,

We herewith inform that the couples as detailed in the Appendix have been either registered or modified in the Official Airbus Qualified Test Methods List (QTML).

The latest valid status of all qualified couples is published by regular QTML reports :

- On Airbus homepage for Suppliers (<https://www.airbus.com/be-an-airbus-supplier.html>)- Only Independent Labs.
- On Airbus Supply Portal - All External Test Facilities.

A qualified couple is not linked to a specific product. It is the evidence that the External Test Facility is meeting the requirement of the M20691.2: Perform Couple Compliance and Maturity's Activities for Material Products Suppliers and/or M20691.3: Perform Couple Compliance and Maturity's Activities for Aerostructure Parts Suppliers.

- We ask you to inform AIRBUS about any modification which could affect the current qualification(s).

Airbus reserves the right to withdraw or suspend the qualification at any time for specific reason, e.g.

- Any major incident(s) detected on one or several Test processes
- Lack in quality, including the surveillance activities (PTP results, Nadcap accreditation, etc)
- Evidence Of non-compliance with the M20691.2 and/or M20691.3
- Loss of Airbus Supplier Approval
- Stop of the Business

Yours faithfully,  
The Test Method Central Team

Appendix: Matrix of qualified Couples <Test Methods/ Shop>

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label  | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|---|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| AITM1-0022        | WETTABILITY TEST  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM1-0024        | DETERMINATION OF THE COMPLETENESS OF CURE OF ORGANIC COATINGS | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM1-0032        | DETERMINATION OF NON HARDENING CHARACTERISTIC OF SEALANT      | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM1-0036        | SEALANTS: DETERMINATION OF ASSEMBLY TIME                      | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM1-0054        | DETERMINATION OF ORANGE PEEL                                  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM1-0070        | SURFACE ROUGHNESS MEASUREMENTS USING SURFACE STYLUS METHODS   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label  | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|---|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| AITM2-0027        | DETERMINATION OF COLOUR DIFFERENCES                               | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM2-0031        | DETERMINATION OF ELECTRICAL RESISTIVITY BY OHMIC METHOD           | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM2-0033        | SEALANTS: DETERMINATION OF SLUMP                                  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM2-0034        | SEALANTS: DETERMINATION OF TACK-FREE TIME OF SEALING MATERIALS    | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM2-0055        | NSA 307 110 HYDRAULIC FLUID MONITORING PRIOR TO AIRCRAFT DELIVERY | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM3-0007        | DROP (REACTION ) TEST ON ALUMINIUM AND ALUMINIUM ALLOYS           | LOW        | QUALIFIED            |            |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label   | Complexity | Qualification Status       | Limitation   | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|--|------------|----------------------------|--|---|-----------------------------------|---------------------|--------------------------------|
| AITM3-0015        | DETERMINATION OF PHOSPHORIC ACID CONTENT   | LOW        | QUALIFIED                  |  |   |                                   |                     |                                |
| AITM3-0029        | DETERMINATION OF IRON (III) AS REACTIVE COMPOUND IN ACIDIC SURFACE TREATMENT BATHS         | LOW        | QUALIFIED                  |  |   |                                   |                     |                                |
| AITM3-0030        | TITRATION OF SULPHURIC AND TARTARIC ACID IN ANODIZING ELECTROLYTES                         | LOW        | QUALIFIED                  |  | 2023  |                                   |                     |                                |
| AITM3-0032        | ANALYSIS OF METALS IN GALVANIC BATHES BY ICP-SPECTROSCOPY                                  | LOW        | QUALIFIED WITH LIMITATIONS | Al (0,2 - 5,3 g/l) / Cu (0,01 - 1,10 g/l) / Dilution made in 1:50 Volumetric flask | 2023  |                                   |                     |                                |
| AITM3-0034        | COMBINED DETERMINATION OF FREE HYDROXIDE AND ALUMINIUM IN ALKALINE SURFACE TREATMENT BATHS | LOW        | QUALIFIED                  |  |   |                                   |                     |                                |
| AITM3-0035        | DETERMINATION OF CHLORIDE CONTAMINATIONS IN SURFACE TREATMENT BATHS                        | LOW        | QUALIFIED                  |  | 2023  |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label   | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|--|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| AITM3-0036        | DETERMINATION OF HYDROGEN IONS IN SURFACE TREATMENT BATHS                | LOW        | QUALIFIED            |            | 2023  |                                   |                     |                                |
| AITM3-0037        | DETERMINATION OF PHOSPHORIC AND SULPHURIC ACID IN ANODIZING ELECTROLYTES | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM3-0038        | DETERMINATION OF NON-VOLATILE-RESIDUE                                    | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM7-0003        | SEALANTS: DETERMINATION OF APPLICATION TOME OF SEALING MATERIALS         | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM7-0009        | DETECTION OF FUNGAL CONTAMINATION IN TSA ANODISATION BATHS VITALITY TEST | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| AITM7-0010        | DETERMINATION OF MICROBIOLOGICAL CONTAMINATION IN AVIATION FUEL          | LOW        | QUALIFIED            |            |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label  | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|---|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| ASTMB117          | STANDARD PRACTICE FOR OPERATING SALT SPRAY (FOG) APPARATUS  | LOW        | QUALIFIED            |            | 2024  |                                   |                     |                                |
| ASTMB487          | TEST METHOD FOR MEASUREMENT OF METAL AND OXIDE COATING THICKNESSES BY MICROSCOPICAL EXAMINATION OF A CROSS-SECTION    | LOW        | QUALIFIED            |            | 2023  |                                   |                     |                                |
| ASTMD1125         | STANDARD TEST METHODS FOR ELECTRICAL CONDUCTIVITY AND RESISTIVITY OF WATER  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ASTMD3359         | MEASURING ADHESION BY TAPE TEST   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ASTMD445          | STANDARD TEST METHOD FOR KINEMATIC VISCOSITY OF TRANSPARENT AND OPAQUE LIQUIDS (AND CALCULATION OF DYNAMIC VISCOSITY) | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ASTMD523          | STANDARD TEST METHOD FOR SPECULAR GLOSS   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label  | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|---|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| ASTMD86           | STANDARD TEST METHOD FOR DISTILLATION OF PETROLEUM PRODUCTS AT ATMOSPHERIC PRESSURE   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ASTME1447         | STANDARD TEST METHOD FOR DETERMINATION OF HYDROGEN IN TITANIUM AND TITANIUM ALLOYS BY THE INERT GAS FUSION THERMAL CONDUCTIVITY/INFRARED DETECTION METHOD | LOW        | QUALIFIED            |            | 2023  |                                   |                     |                                |
| ASTME3            | STANDARD GUIDE FOR PREPARATION OF METALLOGRAPHIC SPECIMENS  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ASTME407          | TEST METHODE FOR MICROETCHING OF METALS AND ALLOYS  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ASTMF2111A        | STANDARD PRACTICE FOR MEASURING INTERGRANULAR ATTACK OR END GRAIN PITTING ON METALS CAUSED BY AIRCRAFT CHEMICAL PROCESSES                                 | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ASTMF519          | STANDARD TEST METHOD FOR MECHANICAL HYDROGEN EMBRITTLEMENT EVALUATION OF PLATING/COATING PROCESSES AND SERVICE ENVIRONMENTS                               | LOW        | QUALIFIED            |            | 2022  |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label  | Complexity | Qualification Status       | Limitation             | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|---|------------|----------------------------|------------------------|---|-----------------------------------|---------------------|--------------------------------|
| ASTMG110          | STANDARD PRACTICE FOR EVALUATING INTERGRANULAR CORROSION RESISTANCE OF HEAT TREATABLE ALUMINUM ALLOYS BY IMERSION IN SODIUM CHLORIDE + HYDROGEN PEROXIDE SOLUTION | LOW        | QUALIFIED                  |                        |   |                                   |                     |                                |
| EN2832            | HYDROGEN EMBRITTLEMENT OF STEELS; NOTCHED SPECIMEN TEST   | LOW        | QUALIFIED                  |                        | 2022  |                                   |                     |                                |
| EN3665            | TEST METHODS FOR PAINTS AND VARNISHES - FILIFORM CORROSION RESISTANCE TEST ON ALUMINIUM ALLOYS  | LOW        | QUALIFIED WITH LIMITATIONS | Restricted to Method A |   |                                   |                     |                                |
| ISO1463           | MEASUREMENT OF COATING THICKNESS - MICROSCOPICAL METHODE  | LOW        | QUALIFIED                  |                        | 2023  |                                   |                     |                                |
| ISO1518           | PAINTS AND VARNISHES; SCRATCH TEST  | LOW        | QUALIFIED                  |                        |   |                                   |                     |                                |
| ISO1519           | PAINTS AND VARNISHES - BEND TEST (CYLINDRICAL MANDREL)  | LOW        | QUALIFIED                  |                        |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022



## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label   | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|--|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| ISO2106           | ANODIZING OF ALUMINIUM AND ITS ALLOYS ?<br>DETERMINATION OF MASS PER UNIT AREA<br>(SURFACE DENSITY) OF ANODIC OXIDATION<br>COATINGS ? GRAVIMETRIC METHOD                     | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ISO2143           | ANODIZING OF ALUMINIUM AND ITS ALLOYS -<br>ESTIMATION OF LOSS OF ABSORPTIVE POWER OF<br>ANODIC OXIDATION COATINGS AFTER SEALING -<br>DYE-SPOT TEST WITH PRIOR ACID TREATMENT | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ISO2360           | NON-CONDUCTIVE COATINGS ON NON-MAGNETIC<br>ELECTRICALLY CONDUCTIVE BASIS MATERIALS -<br>MEASUREMENT OF COATING THICKNESS -<br>AMPLITUDE-SENSITIVE EDDY CURRENT METHOD        | LOW        | QUALIFIED            |            | 2023  |                                   |                     |                                |
| ISO2409           | PAINTS AND VARNISHES - CROSS-CUT TEST  | LOW        | QUALIFIED            |            | 2023  |                                   |                     |                                |
| ISO2808           | PAINTS AND VARNISHES - DETERMINATION OF<br>FILM THICKNESS  | LOW        | QUALIFIED            |            | 2023  |                                   |                     |                                |
| ISO2811-1         | PAINTS AND VARNISHES - DETERMINATION OF<br>DENSITY - PART 1: PYKNOMETER METHOD   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label  | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|---|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| ISO2812-2         | PAINTS AND VARNISHES - DETERMINATION OF RESISTANCE TO LIQUIDS - PART 2: WATER IMMERSION METHOD  | LOW        | QUALIFIED            |            | 2023  |                                   |                     |                                |
| ISO2813           | PAINTS AND VARNISHES - DETERMINATION OF SPECULAR GLOSS OF NON-METALLIC PAINT FILMS AT 20° 60° UND 85°   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ISO2819           | METALLIC COATINGS ON METALLIC SUBSTRATES; ELECTRODEPOSITED AND CHEMICALLY DEPOSITED COATINGS; REVIEW OF METHODS AVAILABLE FOR TESTING ADHESION  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ISO3251           | PAINTS VARNISHES AND PLASTICS - DETERMINATION OF NON-VOLATILE-MATTER CONTENT  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ISO3651-1         | DETERMINATION OF RESISTANCE TO INTERGRANULAR CORROSION OF STAINLESS STEELS - PART 1: AUSTENITIC AND FERRITIC-AUSTENITIC (DUPLEX) STAINLESS STEELS - CORROSION TEST IN NITRIC ACID MEDIUM BY MEASUREMENT OF LOSS IN MASS (HUEY TEST) | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ISO3675           | CRUDE PETROLEUM AND LIQUID PETROLEUM PRODUCTS - LABORATORY DETERMINATION OF DENSITY - HYDROMETER METHOD   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label   | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|--|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| ISO3696           | WATER FOR ANALYTICAL LABORATORY USE;<br>SPECIFICATION AND TEST METHODS   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ISO758            | LIQUID CHEMICAL PRODUCTS FOR INDUSTRIAL<br>USE; DETERMINATION OF DENSITY AT 20 DEGREES<br>C  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| ISO9227           | CORROSION TESTS IN ARTIFICIAL ATMOSPHERES -<br>SALT SPRAY TESTS  | LOW        | QUALIFIED            |            | 2024  |                                   |                     |                                |
| ISO9514           | PAINTS AND VARNISHES - DETERMINATION OF THE<br>POT LIFE OF MULTICOMPONENT COATING<br>SYSTEMS - PREPARATION AND CONDITIONING OF<br>SAMPLES AND GUIDELINES FOR TESTING | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| QVA-Z09-20-00     | DETERMINATION OF WATER HARDNESS  | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| QVA-Z09-22-00     | DETERMINATION OF DRY RESIDUE   | LOW        | QUALIFIED            |            |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label  | Complexity | Qualification Status | Limitation | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|---|------------|----------------------|------------|---|-----------------------------------|---------------------|--------------------------------|
| QVA-Z09-23-00     | DETERMINATION OF THE SPECIFIC CONDUCTIVITY IN AQUEOUS MEDIA | LOW        | QUALIFIED            |            |   |                                   |                     |                                |
| QVA-Z10-61-00     | DETERMINATION OF PARTICLE SIZES                             | LOW        | QUALIFIED            |            |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France

Attestation Issuance Date: 14/12/2022

## Test Methods (TM) as listed in Airbus Commercial Aircraft QTML for CANAGROSA LAB & SERVICES SL - (292690)

| Test Standard(s)* | Test label   | Complexity | Qualification Status | Limitation   | Next External comparison test Participation. ** | Technical Qualification Reference | Deviation Reference | Last Qualification Update date |
|-------------------|--|------------|----------------------|--|---|-----------------------------------|---------------------|--------------------------------|
| ASTMD512          | STANDARD TEST METHODS FOR CHLORIDE ION IN WATER  | LOW        | WITHDRAWN            |  |   |                                   |                     | 10/08/2022                     |
| ISO6507           | METALLIC MATERIALS - VICKERS HARDNESS TEST   | LOW        | SUSPENDED            | According to ISO 6507-1, restricted to 0.01<load range<0.2 and 0.2<low force<0.5 | 2020  |                                   |                     |                                |
| ISO6508           | METALLIC MATERIALS - ROCKWELL HARDNESS TEST  | LOW        | SUSPENDED            | HRB only   | 2021  |                                   |                     |                                |
| ISO7619-1         | RUBBER VULCANIZED OR THERMOPLASTIC - DETERMINATION OF INDENTATION HARDNESS - PART 1: DUROMETER METHOD (SHORE HARDNESS) | LOW        | SUSPENDED            |  |   |                                   |                     |                                |

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS  
Société par actions simplifiée au capital de 2.704.375 Euros  
RCS Toulouse 383 474 81

Registered office:  
1, rond-point Maurice Bellonte  
31700 Blagnac, France